

# THETFORD Glass hobs, recessed in worktop



|                                      | SERIE 165                              | SERIE 169   |
|--------------------------------------|--|---|
| Version                              | All Gas                                | All Gas   |
| Shape                                | Rectangular                            | Rectangular   |
| Type                                 | Recessed in Frame                      | Recessed in Frame   |
| No of burners                        | 2x Gas                                 | 3x Gas  |
| Total heat input – gas               | 3.9 kW                                 | 5.4 kW  |
| Gas burners                          | 1x 1.5 kW<br>1x 2.4 kW                 | 2x 1.5 kW<br>1x 2.4 kW                                      |
| Hob capacity – recommended pan sizes | 1x Ø140 - Ø260 mm<br>1x Ø120 - Ø200 mm | 1x Ø120 - Ø140 mm<br>1x Ø120 - Ø200 mm<br>1x Ø140 - Ø260 mm |
| Spark ignition                       | 12V dc                                 | 12V dc  |
| Max input gas                        | 281.0 g/h                              | 389.0 g/h   |
| Gas lid shutoff                      | Yes                                    | Yes   |
| Main dimension (HxWxD)               | 106x576x361 mm                         | 105x546x482 mm  |
| Net weight                           | 8.00 kg                                | 10.50 kg  |
| Part number                          | SHB16549-SP                            | SHB16988-SP   |

# THETFORD Glass hobs, mounted on worktop

|   | SERIE 910   | SERIE 922   | SERIE 931  | 9 SERIES  | SERIE 981   | SERIES 902  |
|---|---|---|--|---|---|---|
|   |  |  |  |  |  |  |
| Version   | All Gas   | All Gas   | All Gas  | All Gas   | Hybrid (Gas + Induction)  | Induction   |
| Shape   | Rectangular   | Domino  | Rectangular  | Rectangular   | Rectangular   | Domino  |
| Type  | Countertop  | Countertop  | Countertop   | Countertop  | Countertop  | Countertop  |
| No of burners                                       | 1x Gas  | 2x Gas  | 3x Gas   | 4x Gas  | 2x Gas / 1x Induction   | 2x Induction  |
| Total heat input – gas                              | 1.5 kW  | 3.0 kW  | 5.0 kW   | 6.0 kW  | 2.5 kW  | N/A   |
| Gas burners   | 1x 1.5 kW   | 2x 1.5 kW   | 1x 1.0 kW<br>1x 1.5 kW<br>1x 2.5 kW  | 4x 1.5 kW   | 1x 1.0 kW<br>1x 1.5 kW  | N/A   |
| Electric induction zones – Standard (220-240V 50Hz) | N/A   | N/A   | N/A  | N/A   | Ø145mm - 1.4 kW   | Ø145 mm - 1.4 kW<br>Ø210 mm - 1.8 kW  |
| Hob capacity – recommended pan sizes                | 1x Ø120 - Ø200 mm   | 2x Ø120 - Ø200 mm   | 1x Ø100 - Ø180 mm<br>1x Ø120 - Ø200 mm<br>1x Ø140 - Ø220 mm                        | 2x Ø120 - Ø180 mm<br>2x Ø120 - Ø200 mm  | 1x Ø100 - Ø160 mm<br>1x Ø120 - Ø200 mm<br>1x Ø180 - Ø220 mm                         | 1x Ø90 - Ø160 mm<br>1x Ø135 - Ø220 mm   |
| Spark ignition                                      | 12V dc  | 12V dc  | 12V dc   | 12V dc  | 12V dc  | N/A   |
| Energy consumption of induction heater              | N/A   | N/A   | N/A  | N/A   | 1.4 kW  | 1.4 kW  |
| Max current (230V ac)                               | N/A   | N/A   | N/A  | N/A   | 0.7 A   | 10A   |
| Max input gas                                       | 108.0 g/h   | 216.0 g/h   | 360.0 g/h  | 432.0 g/h   | 180.0 g/h   | N/A   |
| Gas lid shutoff                                     | N/A   | N/A   | N/A  | N/A   | 6.5 kg  | N/A   |
| Left/Right Handed                                   | N/A   | N/A   | N/A  | N/A   | Left controls    Right controls   | N/A   |
| Main dimension (HxWxD)                              | 95x305x355 mm   | 95x305x500 mm   | 95x770x350 mm  | 125x540x480 mm  | 100x500x380 mm  | 53x305x500 mm   |
| Net weight  | 4.0 kg  | 5.0 kg  | 6.0 kg   | 8.0 kg  | 6.5 kg  | 5.5 kg  |
| Part number   | SHB91099-SP   | SHB92298-SP   | SHB93199-SP  | SHB94999-SP   | SHB98199-SP    SHB98189-SP  | SHB90298-SP   |

# THETFORD Stainless steel hobs, recessed in worktop



|                                      | SERIE 330          | SERIE 330          | SERIE 345              | SERIE 345              |
|--------------------------------------|--------------------|--------------------|------------------------|------------------------|
| Version                              | All Gas            | All Gas            | All Gas                | All Gas                |
| Shape                                | Triangular         | Triangular         | Rectangular            | Rectangular            |
| No of burners                        | 3x Gas             | 3x Gas             | 3x Gas                 | 3x Gas                 |
| Total heat input – gas               | 4.5 kW             | 4.5 kW             | 5.5 kW                 | 5.5 kW                 |
| Gas burners                          | 3x 1.5 kW          | 3x 1.5 kW          | 2x 1.5 kW<br>1x 2.5 kW | 2x 1.5 kW<br>1x 2.5 kW |
| Hob capacity – recommended pan sizes | 3x Ø120 - Ø180 mm  | 3x Ø120 - Ø180 mm  | 3x Ø120 - Ø180 mm      | 3x Ø120 - Ø180 mm      |
| Spark ignition                       | 12V dc             | 12V dc             | 12V dc                 | 12V dc                 |
| Pan rest                             | Wired              | Wired              | Cast iron              | Wired                  |
| Max input gas                        | 324.0 g/h          | 324.0 g/h          | 396.0 g/h              | 396.0 g/h              |
| Lid hinging                          | Rear               | Rear               | Rear                   | Rear                   |
| Gas lid shutoff                      | Yes                | Yes                | Yes                    | Yes                    |
| Left / Right hand                    | Left               | Right              | N/A                    | N/A                    |
| Main dimension (HxWxD)               | 100 x 480 x 480 mm | 100 x 480 x 480 mm | 100 x 540 x 445 mm     | 100 x 540 x 445 mm     |
| Net weight                           | 4.7 kg             | 4.7 kg             | 6.2 kg                 | 5.7 kg                 |
| Part number                          | SHB33076-SP        | SHB33077-SP        | SHB34587-SP            | SHB34588-SP            |

# THETFORD Combination units



|                                      | SERIE 111                              | SERIE 353   |
|--------------------------------------|--|---|
| Version                              | All gas                                | All gas   |
| Main dimensions (HxWxD)              | 195x900x370 mm                         | 160x980x410 mm  |
| Worktop cut-out dimensions (WxD)     | 888 x 358 mm                           | 962 x 389 mm  |
| Fixation                             | Surface mounted                        | Surface mounted   |
| No of burners                        | 2x Gas                                 | 3x Gas  |
| Total heat input – gas               | 3.0 kW                                 | 4.9 kW  |
| Gas burners                          | 2x 1.5 kW                              | 1x 1.0 kW<br>1x 1.5 kW<br>1x 2.4 kW                         |
| Hob capacity – recommended pan sizes | 1x Ø120 - Ø160 mm<br>1x Ø120 - Ø220 mm | 1x Ø150 – Ø280 mm<br>1x Ø100 – Ø140 mm<br>1x Ø120 – Ø200 mm |
| Spark ignition                       | 12V dc                                 | 12V dc  |
| Max input gas                        | 216.0 g/h                              | 353.0 g/h   |
| Inside bowl dimensions (HxWxD)       | Ø235x140 mm                            | 100 x 290 x 321 mm  |
| Bowl capacity                        | 4.2 L                                  | 7.5 L   |
| Waste hole                           | Ø39 mm (Euro)                          | Ø39 mm (Euro)   |
| Outlet size – waste pipe             | Ø25 mm                                 | Ø25 mm  |
| Tap hole                             | Ø40 mm                                 | Ø40 mm  |
| Lid hinging                          | Rear                                   | Rear  |
| Hob material                         | Black glass                            | Brushed stainless steel                                     |
| Gas lid shutoff                      | Yes                                    | -   |
| Net weight                           | 11.0 kg                                | 10.7 kg   |
| Left / Right hand                    | Right                                  | Left      Right   |
| Part number                          | SCU11189-SP                            | SCU353099-SP      SCU353199-SP                              |